1209461

TH



#### TECHNICAL SUMMARY CALIFORNIA ASBESTOS MONOFILL, INC.

California Asbestos Monofill, Inc. (CAM) is an unclassified landfill accepting only inert asbestos-containing waste (ACW).

CAM has all necessary permits and authorizations from all federal, state and local regulatory agencies. CAM is located at the site of the nations former largest asbestos mining operation. CAM has a capacity of 16,000,000 cubic yards and an unlimited supply of cover material.

The permeability of the CAM landfill is one times ten to the minus seventh centimeters per second (1  $\times$  10 -7 cm/sec). The minimum thickness of this impermeable rock at CAM is 1,500 feet thick. Compare this to a Class I landfill which requires two feet of ten to the minus seventh continutors per second clay (1 X 10 -7 cm/sec) and a synthetic liner of 40 mils. CAM maintains a site engineered lacehate collection and removal system that removes any waters entering the landfill.

CAM sercenc every load of incoming ACW inside a negative air HEPA Eiltered receiving and inspecting station. CAM checks every load for ionisoble chemicals present as a gas or vapor down to a level of .01 parts per million. This process ensures that only inert ACW is accepted. All truck boxes are HEPA vacuumed or pressurs washed prior to leaving CAH.

CAM continuously samples for asbestos exposure for all employees, at all work stations and at our property boundaries. Both phase contrast microscopy and transmission election microscopy are performed on a regular basis. CAM has in place both background and compliance monitoring wells which are sampled for asbestos, PH, specific conductance, TDS, volatile organic, minerals, metals etc. CAM maintains a zero water discharge on a regular basis. requirement for the entire site.

All CAM employees utilize the latest state-of-the-art personal protective equipment and are AHERA certified. All employees are well versed respecting NESHAPs, CAL-OSHA, Pederal OSHA as well as other pertinent occupational work rules. All CAM employees receive refresher training on a regular basis. CAM has an ongoing medical survaillance program administered by Valley Occupations & Medical Group (Robert L. Goldburg, M.D., P.A.C.O.M.). radiographs are examined by MB-readers.

and the state of t



#### MATERIALS NOT ACCEPTED AT CAM

Other than the asbestos itself, California Asbastos Monofill, Inc. Other than the aspessos itself, California Aspestos Monofill, Inc. (CAM) accepts only incrt aspestos-containing waste (ACW). The normal constituents of ACW are insrt, however, there can be occasions where atypical wastes are inadvertently mixed with ACW. CAM does not accept wastes that fail to meet the inert criteria contained in GCR Title 23 Waters, Section 2524 (a) and (b), i.e., wastes which are hesardous for reasons other than the aspestos content. In that regard, CAM does not accept the following consolite paparise: specific materials:

- 1. Aerosol cans such as adhesive spray.
- 2. Motel drums.
- 3. Mostle removers which are not inext.
- 4. Light fixtures containing PCB bailasts.
- 5. Appliances containing freon.
- 6. Free liquids.

If you are unsure whether or not a particular waste is acceptable at CAM, please call CAM for clarification prior to sending the waste for disposal.

TO



February 12, 1991

#### packaging asbestos containing waste

The Environmental Protection Agency's packaging requirements for aspectos-containing waste are found in 40 CFR part 61 National Emission Standards for Hazardous Air Pollutants, Subpart M-National Emission Standard for Aspectos (NESHAPs): "The requirements for wante disposal for manufacturing, demolition, renovation, spraying, and fabricating operations are found at Section 61.152 of NESHAPs. In accord with NESHAPs, California Aspectos Monofill, Inc. (CAM) accord acceptos-containing waste packaged in the following manner:

- 1. All asbestos containing waste must be treated with water prior to packaging.
- 2. After wetting, seal all asbestos-containing waste in leak-tight containers while wet. Leak-tight containers include:
  - a. Double 6-mil plastic bags.
  - b. Double wrapping in 6-mil plastic sheet.
  - c. Fiber board boxes lined with 6-mil plastic sheeting or bags.
  - d. Fiber board drums lined with 6-mil plastic sheeting or bags.
  - e. Bladder bage of sufficient strength to contain the asbestos-containing waste.
  - f. Other leak-tight packaging methods receiving prior approval by CAM.
- 3. Label all acceptosecontaining waste containers with the pending approved Dividion of Occupational Safety and Health (Cal/OSHA) WARNING LABEL found at 8 CCR 1529 (n) (1), for construction or 8 CCR 5208 (n) (1) (8), for General Industry. Consult the regulation(s) as the configuration of part of the warning label is specific. (See 8 CCR 5194 (f) (4) (h) & (B), 5194 (c) "Definitions" Hazard Warning and Health Hazards, and 5194 Appendix A for additional labeling requirements).



# MORE ARARS

### NOTICE AND CERTIFICATION

	·
The waste identified on manifest nu	umber and
bearing the California Waste Code	151 is subject to land disposal
restrictions contained in Article 4	0, Title 22, California Code of
Regulations. The waste meets def	inition of a treated hazardous
waste pursuant to Health and	Safety Code (H&SC) Section
25179.3(1)(2), which states that wa	ste is considered treated if the
waste does not contain any substance	ce above the Soluble Thresholds
Limit Concentration (STLC) values e	stablished in Article 11. Title
22, California Code of Regulations;	and the waste is not prohibited
from land disposal as provided i	n H&SC section 25179.6 (Waste
Analysis is attached for these was	tes, where available).
-	, ,
As required by Article 40, Ti	tle 22, California Code of
Regulations, the following certific	cation is made on behalf of the
below-named generator whose name	appears on the above-listed
manifest for these restricted waste	es:
I warrant that I am an authorize	ed representative of the below-
named generator. I certify	under penalty of law that the
waste is considered treated i	n accordance with H&SC Section
25179.3(1)(2) and complies wi	th all applicable prohibitions
set forth in H&SC Section ?	25179.6. I believe that the
information I submitted is tru	e, accurate and complete. I am
aware that there are signific	ant penalties for submitting a
false certification, including	g the possibility of fine and
imprisonment.	
<b>0</b> - 11 - 12 - 15 - 1	
Generator:	
Address:	
ANATARRI	
nuul 655.	
nuut ess.	
Phone:	
Phone:	
Phone:	
Phone: Print Name	
Phone:	-,
Phone: Print Name	
Print Name Signature	-
Phone: Print Name	
Print Name Signature	



ADARS

#### MATERIALS NOT ACCEPTED AT CAM

Other than the asbestos itself, California Asbestos Monofill, Inc. (CAM) accepts only <u>inert</u> asbestos-containing waste (ACW). The normal constituents of ACW are inert, however, there can be occasions where atypical wastes are inadvertently mixed with ACW. CAM does not accept wastes that fail to meet the inert criteria contained in CCR Title 23 Waters, Section 2524 (a) and (b), i.e., wastes which are hazardous for reasons other than the asbestos content. In that regard, CAM <u>does</u> not accept the following specific materials:

- 1. Aerosol cans such as adhesive spray.
- 2. Metal drums.
- 3. Mastic removers which are not inert.
- 4. Light fixtures containing PCB ballasts.
- 5. Appliances containing freon.
- 6. Free liquids.

If you are unsure whether or not a particular waste is acceptable at CAM, please call CAM for clarification prior to sending the waste for disposal.



#### CALIFORNIA ASBESTOS MONOPILL, INC.

#### GENERATOR'S ASBESTOS CONTAINING

#### Waste Profile Sheet

A.	General	TREORMATION			•	
1.	Gonerato Facility	S Nome US	EPA		2. USBPA 4. State	
5. B. 20	Tochnico	11 Contact/// 29/4/17-8936	anny Cobatt	State	7. 9. rit <i>T467-8</i>	2ip le <i>KM</i> 924
3. 3. 5.	Account Company Address	voices to: 1 † Noise <u>Certen</u> 1206 <del>(In Due</del> 1-11)E	WIRRANGARA NE SWIE	9/4. ? 0/_ 6. ?	hone (500)	) 753-9168 25-9521
C.	Physical	L CHARACTERI	STICS OF WA	ste	(2) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	· Chan -
D. 1. Z.	Transfoi Anticipo Nothod (	RTATION INFO ted Annual Vo of Shipmont,	rkation Divec/Units Rolloff Bo	240 gus	)	1 Yds 3
E.	special	HANDLING IN	FORKATION	· ಈ 10,100 (C)	<b>⇔</b> ⇔ ⇔ ⇔ ⇔ ⇔ ⇔	7.000 साम्प्रदाता सम्ब स्टा हाता दाने क्षेत्र क्ष्मे क्ष्मे क्ष्मे प्राप्त दुव दुव दुव
sul acc ini	omicted i ourate de formation	n this and periptions (	all ektech of this war gaus to avor	ed docume ste mater: pected has	nts conta lal, and	l information ins true and all relevant the possession
1.	Signatur			Z	FOSC Fitte	
3.		Shipled	1	4 0	10-28-	93
þr	ofile	•				



## Danger Contains assestos fibers Avoid Breathing Dust Cancer and Lung Disease Hazard

Target Organs: Lungs, Gastrointestinal Tract; and Larynx Signs and Symptoms: Cough; tightness.of chest; shortness of breath.

4. Label all asbestos-containing waste containers with the following: Title 22 cer 66804

MANAROUS WASTE -State and Federal Law Prohibits Improper Disposal. If found, contact the nearest police or public cafety authority of the California Department of Health Services.

Generator's Name USCO, Ch. 9405.

Manifest Document Number:

5. Label all asbestos-containing waste containers with the following: (40 cFR 172.301)

R.Q. HAZARDOUS SUSSTANCE, SOLID, N.O.S., ORM-E,

NA-9188 (ASBESTOS)

NOTE: CAN does not accept motel drums.

14 - 16 - 24 - 24 C



#### NOTICE AND CERTIFICATION

The waste identified on manifest number \_ bearing the California Waste Code 151 is subject to land disposal restrictions contained in Article 40, Title 22, California Code of Regulations. The wests mosts definition of a treated hazardous wagee purcuant to Health and Safety Code (Hesc) Section 25179.3(1)(2), which otatos that weste is considered treated if the waste does not contain any substance above the Soluble Thresholds Limit Concentration (STLC) values established in Article 11, Title 22, California Code of Regulations; and the waste is not prohibited from land disposal as provided in West section 25179.6. (Waste Analysic ic affached for those wastes, where available).

As required by Article 40, Title 23, California Code of Regulations, the following certification is made on behalf of the bolew-named generator whose name appears on the above-listed Eunifort for those rootsicted wastes:

I warrant that I am an authorised ropresentative of the belownamed generator. I costify under penalty of law that the waste is considered treated in accordance with Hist Section 25179.3(1)(2) and compiled with all applicable prohibitions set torth in Masc Section 25179.6. I believe that the information I cubsitted is true, accurate and complete. I am aware that there are dignificant penalties for submitting a Tales correctionation, including the possibility of fine and

	imprisonmen	ic.
	Generator:	45-EPA
	address:	75 Hawthorne street, SAN FRANCISCO
	. Phone:	Ste (209) 467-8932 office (415) 744-2287
	BRAD Shi	DIEU
X	Print Nome	
,	signature F/) S/	
7	Fitle	193

Date



#### CALIFORNIA ASBESTOS MONOPILL, INC.

	Manuscritters and a filt and LANA			
The agreement of the second se	EMILITY is made by and between California Asbestos Monofili, fac. ("CAM")  ESP REGIOSE G. "Todomnified Party").			
	Reokals .			
1.	CAM operates an astematicamining wante ("ACW") landful in Calavoras County, California ("ACW Landful").			
2.	information Party has entered into an agreement dated 10-21-93 ("Agreement") with 15-16-16 ("Company"), times which Agreement, Company has agreed to renduce ACW from certain promises on ned or possible by independent Party.			
9.	Company and Instructified Party decise to dispose of each ACW at the ACW Landfill.			
٥.	CAM has a sea of each ACW for disposal of the ACW Landid.			
ining Ty, de fical julgame especial (col fow suscripto contespecial to this Agame ruspolial actio Agametication tubstacoca (ar regulations),	ICW) from information Party's granders at the ASW Leadill, CAM agrees to shard, and hald hereafted information from and against liabilities scring from this, first decisions, actification reasonable atterneys fees, and other kitgation incitively "Expenses"). In the administrative or judicial action under federal or state d with the eleanty of ACW disposed of at the ACW Landill or remediation of another the ACW leadill directly resulting from ACW disposal pursuant ment, the solo publishes senses of which is CAM becoming subject to removal or one under the Comprehensive Environmental Response, Compensation and Liability for successor federal or compensive Environmental Response, Compensation and Liability in successor federal or compensive feature law. Notwithstanding for foregoing, this is shall not apply in the event any herardous, texts, or radioactive water, or these terms are defined by applicable federal, state, provincial, or local laws or other than subsetted, as a immediated with the ACW from Indomnified Party's reced to the ACW Landfill by Company.			
Coverning Law This Agreement shall be governed by California law.				
This so c	ention Approximent is the only ACW disposal agreement between the parties. There are taker agreements, written as each.  The 10-27-93			
californi	a asbestos monofall, inc. ('cám') 'tndemnified party'			
By	Ву			
Fries Name _	Print Name			